WO 2004/111174 PCT/EP2004/005500

- 24 -

We claim:

25

- A bleaching composition comprising:
- 5 (a) an organic substance which forms a complex with a transition metal for bleaching a substrate with atmospheric oxygen, the bleaching composition upon addition to an aqueous medium providing an aqueous bleaching medium substantially devoid of a peroxygen bleach or a peroxy-based or peroxyl-generating bleach system,
- (b) between 0.001 to 3 wt/wt % of a perfume composition said perfume composition comprising at least 0.01 wt % of 15 a terpene perfume, and
 - (c) an antioxidant in the range from 0.0001 to 20 wt/wt $^{\circ}$,
- 20 (d) the balance carriers and adjunct ingredients to 100 wt/wt % of the total bleaching composition.
 - 2. A bleaching composition according claim 1, wherein the antioxidant is selected from:
 - (i) a phenolic antioxidant, the phenolic antioxidant present in the range 0.0001 to 3 % wt %; and,
- (ii) an amine antioxidant, the amine antioxidant in the 30 range from 0.0001 to 20%.

WO 2004/111174 PCT/EP2004/005500

- 3. A bleaching composition according claim 2, wherein the amine antioxidant is an amine alcohol.
- 4. A bleaching composition according to claim 3, wherein the amine alcohol is selected from the group consisting of: 2-amino-2-methyl-1-propanol, tri-ethanol amine, tri-methanol amine, mono-ethanol amine, diethanol amine, and methylanthranilate.
- 10 5. A bleaching composition according to claim 2, wherein the antioxidant is a hindered phenol.
- A bleaching composition according to claim 5, wherein the antioxidant is selected from the group
 consisting of: 2, 6-di-tert-butyl hydroxy toluene, α-tocopherol, Ethoxyquine and 6-hydroxy-2,5,7,8-tetramethylchroman-2-carboxylic acid, and lignosulphonic acid.
- 7. A bleaching composition according to claim 6,
 20 wherein the antioxidant is 2, 6-di-tert-butyl hydroxy toluene.
 - 8. A bleaching composition according to claim 1, wherein the antioxidant is ascorbic acid.

25

- 9. A bleaching composition according to claim 5 to 8, wherein the antioxidant is present in the bleaching composition in the range from 0.001 to 2 wt %.
- 30 10. A bleaching composition according to any preceding claim, wherein the bleaching composition is a liquid.

WO 2004/111174 PCT/EP2004/005500

- 11. A bleaching composition according to any preceding claim, comprising between 0.1 to 2 wt/wt % of a perfume composition.
- 5 12. A bleaching composition according to any preceding claim, wherein said perfume composition comprises at least 0.1 wt % of a terpene perfume.
- 13. A bleaching composition according to claim 12,10 wherein said perfume composition comprises at least 1.0 wt % of a terpene perfume.
- 14. A bleaching composition according to claim 13, wherein the perfume composition comprises at least 5 wt % of a terpene perfume.
 - 15. A bleaching composition according to any one of claims 1 to 9 and 11 to 14, wherein the bleaching composition is a solid bleaching composition.

20

16. A bleaching composition according to any preceding claim, wherein the terpene perfume is selected from the group consisting of: terpinolene, Gamma-terpinene, and pinane.

25

30

17. A method of bleaching a textile stain, comprising the steps of treating a substrate with the bleaching composition as defined in any preceding claim in an aqueous environment, rinsing the substrate and drying the substrate.